

THIS REPORT CONTAINS ASSESSMENTS OF COMMODITY AND TRADE ISSUES MADE BY USDA STAFF AND NOT NECESSARILY STATEMENTS OF OFFICIAL U.S. GOVERNMENT POLICY

Voluntary _ Public

Date: 6/9/2017

GAIN Report Number: SP1715

Spain

Post: Madrid

Fodder Demand in the Middle East Drives Spanish Alfalfa Area Growth

Report Categories:

Grain and Feed

Approved By:

Rachel Bickford Agricultural Attaché

Prepared By:

Marta Guerrero Agricultural Specialist

Report Highlights:

Spain's dried fodder production is expected to remain fairly stable in MY2017/18. Export opportunities in Saudi Arabia and poor corn crop margins have driven alfalfa plantings slightly up. Dry weather throughout the crop cycle has negatively impacted non-irrigated alfalfa. Export-oriented irrigated alfalfa is anticipated reach good yields and improved quality compared to last season, which would allow for increased export opportunities.

Disclaimer: This report presents the situation for forage production and exports in Spain. This report contains the views of the authors and does not reflect the official views of the U.S. Department of Agriculture (USDA). The data are not official USDA data.

Executive Summary

Spain's is the EU's largest dry fodder producer and exporter. Domestic dried fodder consumption, mainly by the dairy industry, is rather limited compared to production levels, which allows for an ample supply for export.

In MY2017/18 Spain's dried fodder area is expected to grow at the expense of corn, whose poor margins are forcing farmers to find alternative crops. Saudi Arabia's decision to phase out forage production (See SA1702) also sent signal for farmers to increase area planted to fodder crops.

Production levels are anticipated to remain at similar levels compared to last season. The lower yields in non-irrigated alfalfa, as a consequence of the lack of precipitation throughout the crop cycle, will offset the increase in area. The absence of rains during harvest has improved the quality of the first cut of the export-oriented irrigated alfalfa compared to previous season. While domestic demand for dried fodder continues to be stagnant, export figures are anticipated to rebound in MY2017/18 after the lower levels registered in MY2016/17 when the ample supplies did not meet some export markets customers' requirements.

Table of Contents:

References	3
Area and Production	4
Consumption and Marketing	11
Trade	11
Production, Supply and Demand	13
Policy	
Related Reports	14

References

• Abbreviations:

AEFA National Dried Alfalfa Producers Association

AQSIQ China's General Administration of Quality Supervision, Inspection and Quarantine

BP Basic Payment °C Celsius degrees

CAP Common Agricultural Policy

EFA Ecological Focus Area

ESYRCE Crop surface area and yields survey

EC European Commission

EU European Union

FAS Foreign Agricultural Service

GTA Global Trade Atlas

Ha Hectares

MAPAMA Ministry of Agriculture, Fisheries, Food and Environment

MS EU Member State(s)
MT Metric ton (1,000 kg)

MY Marketing year (May/April)

N/A Not Available

PS&D Production, Supply and Demand

SPS Single Payment Scheme

• HS Codes (Harmonized System codes for commodity classification used to calculate trade data) for Dehydrated Fodder:

Rutabagas (Swedes), mangolds, fodder roots, hay alfalfa (3ucerne), clover, sainfoin, forage kale, lupines, vetches and similar forage products, whether or not in the form of

pellets.

121410 Alfalfa (Lucerne) meal and pellets; dehydrated, sun-cured and other.

Hay (including alfalfa, whether or not double compressed, and Timothy); clover; and

other.

Area and Production

As Alfalfa is a five-year cycle crop, every year twenty percent of the alfalfa is pulled out and replanted as a part of the crop's normal cycle. In Spain, approximately half of the alfalfa is planted during fall with the remaining half in the spring.

In MY2016/17, the total area planted to fodder crops grew compared to the previous season with the result of lower grain (corn in particular) plantings. For MY2017/18 favorable crop margins compared to corn led farmers to increase their less input-intensive alfalfa plantings, despite the low domestic prices for sun-cured fodder throughout MY2016/17 (Table 1), and the larger than usual ending stocks. Farmers see good prospects in exports market due to Saudi Arabia's decision to phase out forage production (See SA1702) which contributes to boost area planted to alfalfa (Table 2 and Graph 1).

Table 1. Average Sun-dried Fodder Farm Gate Prices

Year	2012	2013	2014	2015	2016
Price (Euros/100 Kg)	17.04	17.37	15.36	15.44	13.97

Source: MAPAMA

Table 2. Area Planted to Dried Fodder under Contracts with Processing Plants (Ha)¹**


Market	Alfalfa	Vetch	Sainfoin	Fescue	Corn	Rye	Other	Total
2006/07	164,020	4,716	956	5,596	1,190	8,274	7,176	191,928
2007/08	143,554	4,583	506	6,043	1,197	7,744	5,994	169,623
2008/09	122,411	4,039	679	5,696	1,248	5,972	5,993	146,038
2009/10	135,747	9,106	641	9,748	1,076	8,301	4,074	168,693
2010/11	147,065	12,375	469	7,724	1,1,74	8,063	7,946	184,815
2011/12	140,887	14,166	760	4,051	1,230	6,946	10,431	178,920
2012/13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	144,674
2013/14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	151,956
2014/15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	141,011
2015/16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	130,556
2016/17	N/A	N/A	N/A	N/A	N/A	N/A	N/A	136,127
2017/18e	N/A	N/A	N/A	N/A	N/A	N/A	N/A	140,000

Source: FEGA (Spanish Agricultural Guarantee Fund) AEFA and FAS Madrid estimates.

**Note: Since MY2012/13 official information (FEGA) is no longer available. Data as of MY2013/14 is based on industry estimates. While crop specific areas are no longer published, according to

¹ Since April 1, 2012, (MY2012/13) the aid for dehydrated fodder scheme is incorporated into the farmer's Single Payment Scheme (SPS) and processors no longer receive a specific the aid. Hence, as of MY2012/13, no official information on the area planted to dried fodder is available. From MY2012/13 on, data in **Table 1** are based on the National Dried Alfalfa Producers Association survey.

contacts, alfalfa represents over 80% of the area planted to dried fodder under contracts with dehydrating plants.



Graph 1. Area Planted to Main Fodder Crops (Hectares)²

e: MAPAMA and FAS Madrid estimates.

There are two major alfalfa growing areas in Spain: Castile y Leon and the Ebro Valley (Aragon and Catalonia), although significant volumes are produced as well in Castile-La Mancha. Agricultural practices differ among the different alfalfa producing regions (**Map 1** and **Graph 1**).

- Ebro Valley (including the Autonomous Regions of Aragon and Catalonia), the most commonly cultivated alfalfa variety is "Aragón", with 77 and 72 percent, respectively, under irrigation. A significant amount of the alfalfa produced in this area ends up in the export market. The large majority of it via the Port of Barcelona (**Map 1**).
- Castilla y Leon, the most popular variety of alfalfa cultivated is "Tierra de Campos". These groups of varieties perform well in heavy clay soils, rarely, about thirty percent under irrigation.

Fodder Demand in the Middle East Drives Spanish Alfalfa Area Growth

Page 5 out of 15

² Data for area planted to alfalfa and vetch in **Graph 1** differ from those showed in **Table 1**, as **Graph 1** includes total area (with uses different than dehydrating process) and **Table 1** includes only area under contracts whose production is subject of industrial transformation.


Hence, yields are strongly linked to spring rains. This alfalfa is mostly consumed by the domestic dairy herd (**Map 1**).

• In Castilla – La Mancha 92 percent of the alfalfa is under irrigation (Map 1).

Map 1. Alfalfa Producing Regions and Port locations



Source: FAS Madrid based on MAPAMA and Unistock data.



Graph 1. Area Planted to Alfalfa in Spain's Main Producing Regions (Hectares)*

Source: ESYRCE. MAGRAMA

In MY2016/17 timely spring precipitations contributed to replenish soil water and reservoirs and boosted non-irrigated alfalfa yields (Castile and León). The excess of water was detrimental for alfalfa quality in irrigated land (Ebro Basin). Overall production levels overcame the previous season output, which, along with the lower quality resulted in reduced exports, creating an oversupply in the domestic market, pushing domestic prices down (Table 1).

In 2017/18 dry conditions required irrigation to establish the crop, improve soil humidity and carry out fall plantings operations. The lack of precipitation prevailed until the beginning of the first cut (**Graph** 2), which created good conditions for the rest of the harvest.

Cumulative Precipitation (USAF 567th WW) in Aragon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) in Castilla y Leon

Cumulative Precipitation (USAF 567th WW) i

Graph 2. Cumulative Precipitation in Main Alfalfa Producing Regions

Source: IPAD/Foreign Agricultural Service/USDA

The lack of water does not represent a threat to overall yields as the vast majority of alfalfa in Spain (67%), and in particular, alfalfa intended for the export market, is cultivated under irrigation. Dry weather conditions have boosted irrigation needs and stress the tough non-irrigated alfalfa in Spain's central plateau.

Overall production levels (**Table 3**) are anticipated to remain at similar levels compared to last season. The lower yields in non-irrigated alfalfa, as a consequence of the lack of precipitation throughout the crop cycle, will offset the increase in area planted.

Table 3. Dried Fodder Production under Contracts with Dehydrating Plants (MT)³

MY	2012/13	2013/14	2014/15	2015/16	2016/17	2017/18e
Production	1,619,823	1,659,688	1,469,716	1,559,498	1,595,503	1,600,000

Source: AEFA (National Dried Alfalfa Producers Association) and FAS Madrid estimates.

³ It includes sun-dried fodder and dehydrated fodder. On average, dehydrated fodder represents over 90 percent, which given its homogeneity, is preferred by some importing countries.

For additional information on climate conditions affecting crops in MY2017/18, see GAIN Report SP1714.

Processing

Spanish fodder producers use both sun-drying and mechanical dehydration to preserve alfalfa:

- **Sun-cured fodder:** Sun-cured fodder (hay) is normally less homogeneous and is for the domestic market. Sun-cured fodder operations include mowing, which may be combined with conditioning; turning and tedding to allow an even drying, windrowing, collection and baling.
- **Dehydrated fodder:** Alfalfa destined for dehydration is cut in the field. After a pre-drying phase in the field, it is windrowed and transported to the fodder processing plant. The large majority (85 percent) of the alfalfa is collected and transported by fodder wagons, while the remaining 15 percent is chopped and collected by forage harvesters and transported via trucks to the plant. Dehydrated fodder represents about 85 percent of the country's fodder production. It is domestically consumed and largely exported. In the fodder processing plant, the alfalfa is classified by quality and moisture. Then it goes through the processing plant drier (one step trommel), which dries the fodder out with a 300°C air flow. Moisture levels of the final product fall between 12-14%.

The products obtained (bales or pellets) are classified under three quality groups. Requirements for the different quality groups of bales and pellets can be checked in the tables below:

Table 4. Alfalfa in bales standards

Quality	Raw Protein	ADF	NDF	RFV	Moisture	Color			
	(%)	(%)	(%)		(%)				
Premium	<18	<31	<38	160	<14	Intense			
						green			
First	16.5-18	31-33	38-42	140-	<14	Green			
				160					
Second	15-16.5	33-36	42-44	120-	<14	Pale green			
				140					

Source: AEFA (National Dried Alfalfa Producers Association)

Table 5. Alfalfa in pellets standards

Quality	Raw Protein (%)	RFV	Moisture (%)	
Premium	<18	160	<12	

First	rst 16.5-18		<12	
Second	15-16.5	120-140	<12	

Source: AEFA (National Dried Alfalfa Producers Association)

Details about dehydrated fodder processing plants location can be found in **Table 6**.

Table 6. Spain Location of Processing Plants

	•	8			
Region	Number of Plants	Approved to export to China ⁴			
Aragon	34	19			
Catalonia	11	8			
Castile y Leon	11	5			
Castile-La Mancha	7	0			
Navarra	4	0			
Andalusia	3	1			
Extremadura	1	0			
Balearic Islands	1	0			
Total	72	33			

Source: AEFA (National Dried Alfalfa Producers Association) and MAPAMA.

Quality issues in the first cut of the MY2016/17 harvest led to an increased share of pellet versus bales production (Table 7), and to less *Premium* and more *First* and *Second* Quality bales and pellets production. Favorable harvest conditions in MY2017/2018 are anticipated to result in a larger amount of bales production compared to pellets as well as in more *Premium* production at the expenses of *First* and *Second* categories, allowing for recovery in exported volumes.

Table 7. Spain Dried Fodder Product by Production Type (MT)

Market Year	Pellets	Bales	Total
2006/07	671,381	1,303,269	1,974,651
2007/08	605,995	1,176,343	1,782,339
2008/09	534,625	992,875	1,527,500
2009/10	427,652	1,282,956	1,710,609
2010/11	451,106	1,353,350	1,804,426
2011/12	441,723	1,478,810	1,920,533
2012/13	386,495	1,233,328	1,619,823
2013/14	438,158	1,221,530	1,659,688
2014/15	283,361	1,186,208	1,469,716
2015/16	265,115	1,294,383	1,559,498

⁴ For more information on the Agreement with China, please see **Trade** Section.

2016/17	377,782	1,217,721	1,595,503
2017/2018e	365,500	1,234,500	1,600,000

Source: AEFA (National Dried Alfalfa Producers Association) and FAS Madrid estimates.

Consumption and Marketing

Domestic consumption of dried fodder only represents a small amount of the demand. Dairy sector needs have remained stable since 2013 (**Table 8**). Consequently the export demand drives changes in the fodder market.

For more information on the EU-28 dairy sector, see the latest information available on <u>Dairy and Products Annual EU-28 GAIN Report</u>.

Table 8. Dairy Cow population (1,000 Heads)

Year	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017e
Dairy cow	903	888	828	845	798	827	844	845	844	844	845
population	703	000	020	0.15	770	027	011	0.15			

Source: Eurostat. FAS Madrid estimates.

Trade

Spain is the world's third largest fodder exporter after the United States and Australia. Spain is a net exporter of fodder, with exports (**Table 10**) largely exceeding imports (**Table 9**). Imports recorded from other EU countries such as France or Poland grew significantly in **MY2015/16**, (**Table 9**), most likely for re-exporting purposes.

Table 9. Spain Total Imports of Fodder by Origin in MT*

Country of Origin	MY	MY	MY	MY2015/16	MY2016/17e
EU-28	10,139	6,134	18,136	31,358	30,700
Others	841	506	739	1,840	1,300
TOTAL	10,980	6,640	18,875	33,198	32,000

Source: GTA and FAS Madrid estimates.* Includes both bales and pellets.

In **MY2015/16** record export levels were achieved. In the absence of a strong domestic demand, fodder processors managed to export to new markets, such as Iran. Exports to Saudi Arabia more than doubled while exports to China registered a 20 percent decline.

In MY2016/17 despite the overall decline in exported volumes, UAE continued to be the largest destination for Spanish dried fodder followed by Saudi Arabia, which consolidated its position as

Spain's second largest market for dehydrated fodder. Exports to China continued to decline as the harvest quality did not meet China's requirements.

Saudi Arabia's decision to phase out forage production (See <u>SA1702</u>) along with improved quality may contribute to increase Spanish fodder exports in **MY2017/18**.


Table 10. Spain Total Exports of Fodder by Destination in MT*

Country of	MY2012/13	MY	MY	MY	MY
EU-28	159,362	139,674	128,506	124,839	131,300
United Arab	782,034	643,243	700,013	722,679	536,400
China	0	0	91,842	126,119	39,500
Saudi Arabia	118,505	73,167	45,092	109,333	114,800
Jordan	20,164	24,514	29,791	44,261	44,000
Iran	0	0	0	14,952	-
Lebanon	7,910	14,081	21,066	14,873	30,400
Japan	6,943	2,863	7,649	10,854	12,200
Kuwait	10,612	6,171	9,112	9,442	11,400
Korea South	3,375	2,474	7,445	8,355	13,200
Morocco	20,535	15,540	14,799	7,093	29,100
Others	45,048	60,353	47,598	23,721	67,900
TOTAL EXPORTS	1,174,488	982,080	1,102,913	1,216,521	1,030,200

Source: GTA. * Includes both bales and pellets.

With the exception of MY2016/17, when fodder quality issues negatively impacted exported volumes, the ratio exports/production continues to grow steadily (Graph 3) as a result of a stagnant domestic demand (Table 8) and the industry determination to increase Spanish fodder presence in export markets.

Graph 3. Exports/Production Share Evolution



Source: FAS Madrid

Production, Supply and Demand

Table 11. Spain Production, Supply and Demand for Dehydrated Fodder (MT)

Market Year	MY	MY	MY	MY	MY	MY
	2012/13	2013/14	2014/15	2015/16	2016/17e	2017/18f
Production	1,619,823	1,659,688	1,469,716	1,559,498	1,595,503	1,600,000
Imports	10,971	6,640	18,875	33,566	32,000	15,000
Total supply	1,630,794	1,666,328	1,488,591	1,593,064	1,627,503	1,615,000
Dom.	456,604	684,248	386,089	367,771	597,303	450,000
Consumption	,	001,210	200,009	007,771	637,635	.20,000
Exports	1,174,190	982,080	1,102,502	1,225,293	1,030,200	1,165,000
Total Demand	1,630,794	1,666,328	1,488,591	1,593,064	1,627,503	1,615,000

Source: FAS Madrid estimates.

Policy

Since 2015, the **Single Payment Scheme** has been replaced by the so-called **Basic Payment** (BP) which is not crop specific. Farmers receive an area payment regardless of the crop. The Basic Payment amount takes into consideration the different land uses at the county level: irrigated vs. non-irrigated land; permanent crops or pasture land for example. The basic payment amount is influenced by the amount of support previously received by farmers cultivating the land. As result, a total of fifty homogeneous regions have been defined in Spain. Broadly speaking, the amount of the Basic Payment allocated to each region represents the support granted to the type of land use. The amount of support under Basic Payment received was calculated based on the subsidies received in 2014. In the irrigated land in the Ebro basin, where most of the export oriented alfalfa is grown, industry sources estimate that

Basic Payment would add up to nearly 250 Euros per hectare. In the case of Castile y León, the other main alfalfa producing region, where alfalfa is grown in non-irrigated land and coexists with non-irrigated grain plots, the amount of support via Basic Payment may add up to ninety Euros per hectare.

A large part of farm support is linked to greening measures compliance. An option for greening compliance is to maintain EFAs (Ecological Focus Area). Alfalfa is considered as a nitrogen fixing crop for greening compliance purposes. Farms over fifteen ha need to devote over five percent of their cultivation land to this use.

Additionally, in Spain's implementation of CAP reform, specific payments have been allocated to **protein crops** (peas, bean, and sweet lupin) or **legumes** (vetch, soybeans, *lathyrus cicera*, *lathyrus sativus* and non-irrigated alfalfa⁵). Support levels are not sufficient to significantly influence planting decisions (See values in **Table 12**). Hence, farmers' planting decisions will ultimately be based on crop margins expectations.

Table 12. Legume Specific Payment (Euros/Ha)

Year	Total Area (Ha)*	Out of which in Castile y León	Payment (Euros/Ha)
2015	450,372.01	249,374.21	48.06
2016	451,406.24	238,529.70	47.71

Source: FEGA

*includes all legume crops eligible for the subsidy

Related Reports

Report Title Date Released 02/27/2017 Saudi Arabia: Saudi Arabian Alfalfa Hay Market Spanish Dried Fodder Exports Continue to Soar 06/29/2016 Spanish Fodder Consolidates its Presence in Export Markets 08/10/2015 Spain is Ready to Export Dried Fodder to China 07/17/2014 Wondermilk Works Wonders In China 03/01/2014 Dutch Dairy Processors Gear Up for Chinese Demand 05/08/2013 Spanish Dried Fodder Processors Seek New Markets 06/03/2013 March 2013 Record Forage Exports Despite Record Domestic Prices U.S. Hay Exports to the UAE on the rise 06/14/2012 Spain dehydrated fodder Sector Faces New Challenges 03/06/2012 Spain Dehydrated Fodder Sector 2011 02/02/2011 Spain Dehydrated Fodder Sector 2010 02/22/2010

Fodder Demand in the Middle East Drives Spanish Alfalfa Area Growth

⁵ In Castile y León, for the most part, alfalfa is grown without irrigation.